

Contents of Volume 35

Number 1, June 1, 1989

The influence of temperature and serum deprivation on the synthesis of heat-shock proteins and alpha and beta tubulin in promastigotes of <i>Leishmania major</i> P. Toye and H. Remold (U.S.A.)	1
A novel telomeric gene conversion in <i>Trypanosoma brucei</i> J.K. Scholler, P.J. Myler and K.D. Stuart (U.S.A.)	11
Methylglyoxal-catabolizing enzymes of <i>Leishmania donovani</i> promastigotes K. Ghoshal, A.B. Banerjee and S. Ray (India)	21
A λ gt11 cDNA recombinant that encodes <i>Dirofilaria immitis</i> paramyosin A.G. Grandea III, L.K. Tuyen, N. Asikin, T.B. Davis, M. Philipp, C. Cohen and L.A. McReynolds (U.S.A.)	31
Putrescine transport system in <i>Leishmania infantum</i> promastigotes R. Balaña-Fouce, D. Ordóñez and J.M. Alunda (Spain)	43
Binding of chloroquine to DNA F. Kwakye-Berko and S.R. Meshnick (U.S.A.)	51
Effects of thiastearic acids on growth and on dihydrostercularic acid and other phospholipid fatty acyl groups of <i>Leishmania</i> promastigotes D.H. Beach, R.A. Pascal, Jr. and G.G. Holz, Jr. (U.S.A.)	57
Characterization of the ribosomal DNA from <i>Trichinella spiralis</i> D. Boyd, T. de Vos, G. Klassen and T. Dick (Canada)	67
<i>Trichomonas vaginalis</i> and <i>Tritrichomonas foetus</i> secrete neuraminidase into the culture medium F. C. Silva Filho, E.M. Breier-Saraiva, M.X. Tosta and W. de Souza (Brazil)	73
Identification of multispecific lipoprotein receptor in adult <i>Schistosoma japonicum</i> by ligand blotting analyses M.V. Rogers, K.J. Henkle, N.H. Fidge and G.F. Mitchell (Australia)	79
Isolation and characterization of a cysteine proteinase from <i>Fasciola hepatica</i> adult worms A.A. Rege, P.R. Herrera, M. Lopez and M.H. Dresden (U.S.A., Peru)	89

Number 2, June 15, 1989

Sequences similar to genes for two mitochondrial proteins and portions of ribosomal RNA in tandemly arrayed 6-kilobase-pair DNA of a malarial parasite A.B. Vaidya, R. Akella and K. Suplick (U.S.A.)	97
The immunochemical structure and surface arrangement of <i>Leishmania donovani</i> lipophosphoglycan determined using monoclonal antibodies D.L. Tolson, S.J. Turco, R.P. Beecroft and T.W. Pearson	109
An oligonucleotide probe specific for <i>Onchocerca volvulus</i> W. Hammett, A.E. Chambers, A. Renz and R.M.E. Parkhouse (U.K., F.R.G.)	119
Structure and expression of two <i>Trypanosoma cruzi</i> genes encoding antigenic proteins bearing repetitive epitopes J.J. Lafaille, J. Linss, M.A. Krieger, T. Souto-Padrón, W. de Souza and S. Goldenberg (Brazil)	127
Improved characterization of <i>Theileria parva</i> isolates using the polymerase chain reaction and oligonucleotide probes B. Allsopp, M. Carrington, H. Baylis, S. Sohal, T. Dolan and K. Iams (U.K., Kenya)	137
Purification and partial characterization of an unusual protein of <i>Plasmodium falciparum</i> : histidine-rich protein II L.J. Panton, P. McPhie, W.L. Maloy, T.E. Wellems, D.W. Taylor and R.J. Howard (U.S.A.)	149

Thiol proteases released in vitro by <i>Fasciola hepatica</i> J.P. Dalton and M. Heffernan (Ireland)	161
Stage-specific expression and genomic organization of the actin genes of the malaria parasite <i>Plasmodium falciparum</i> J.G. Wesseling, P.J.F. Snijders, P. van Someren, J. Jansen, M.A. Smits and J.G.G. Schoenmakers (The Netherlands)	167
<i>Plasmodium falciparum</i> : inhibitors of lysosomal cysteine proteinases inhibit a trophozoite proteinase and block parasite development P.J. Rosenthal, J.H. McKerrow, D. Rasnick and J.H. Leech (U.S.A.)	177
The circumsporozoite protein gene from NF54, a <i>Plasmodium falciparum</i> isolate used in malaria vaccine trials (Short Communication) P. Caspers, R. Gentz, H. Matile, J.R. Pink and F. Sinigaglia (Switzerland)	185
Number 3, July, 1989	
Serotonin receptors in the tissues of adult <i>Ascaris suum</i> J. Chaudhuri and M.J. Donahue (U.S.A.)	191
A nuclear magnetic resonance study of the interactions of the antimalarials chloroquine, quinacrine, quinine and mefloquine with dipalmitoylphosphatidylcholine bilayers R. Zidovetzki, I.W. Sherman, A. Atiya and H. De Boeck (U.S.A.)	199
Differential recognition of two cloned <i>Brugia malayi</i> antigens by antibody class C. Werner, G.I. Higashi, J.A. Yates and T.V. Rajan (U.S.A.)	209
Purine base transport in wild-type and mycophenolic acid-resistant <i>Tritrichomonas foetus</i> L. Hedstrom and C.C. Wang (U.S.A.)	219
A surface antigen of <i>Trypanosoma cruzi</i> involved in cell invasion (Tc-85) is heterogeneous in expression and molecular constitution G. Abuin, W. Colli, W. de Souza and M.J.M. Alves (Brazil)	229
A recombinant surface protein of <i>Babesia bovis</i> elicits bovine antibodies that react with live merozoites S.W. Reduker, D.P. Jasmer, W.L. Goff, L.E. Perryman, W.C. Davis and T.C. McGuire (U.S.A.)	239
A stage-specific calcium-binding protein from microfilariae of <i>Brugia malayi</i> (Filariidae) J.A. Fuhrman and W.F. Piessens (U.S.A.)	249
Filarial parasites exhibit unusually high levels of choline acetyltransferase activity K.H.S. Swamy (India)	259
Induction of nucleoside transport sites into the host cell membrane of <i>Babesia bovis</i> infected erythrocytes A.M. Gero (Australia)	269
Accurate and efficient RNA polymerase III transcription in a cell-free extract prepared from <i>Ascaris suum</i> embryos P.A. Maroney, G.J. Hannon and T.W. Nilsen (U.S.A.)	277

